

VIP/Gateway for Windows™ Quick Start

Introduction

Please refer to the latest Release Notes found on the product CD, before installing this product. A Host installation is required one-time. A workstation install is required for each workstation that needs to access the Host.

UNIX Host Installation

Use these instructions to load VIP on your UNIX Host system from CD-ROM media. This is only required once irrespective of the number of VIP workstations to be utilized.

UNIX installations are accomplished using cpio. Before using cpio with a CD-ROM, the drive must be mounted. Sample mount commands are as follows:

```
SCO:          mount -r -f HS,lower /dev/device-name /mountpoint
AIX:          mount -r -v cdrfs /dev/device-name /mountpoint
HP:           mount -r -F cdrfs /dev/device-name /mountpoint
DEC UNIX:     mount -r -t cdrfs -o noversion /dev/r34c /mountpoint
Ver. 5.0+:    mount -r -t cdrfs -o noversion /dev/disk/cdrom0c /mountpoint
RedHat Linux: mount -r -t iso9660 /dev/device-name/mountpoint
```

Check with your system administrator for their actual values. VIP and GWW version 8.7.0 require a Host activation. Be sure to install only the modules required for your installation.

After mounting the CD-ROM, continue with the steps below. The CD-ROM contains a cpio file for each product. The product cpio file name (VIP or GWW or VIP_GWW) should be substituted for the */dev/device-name*. Be sure to include the *mountpoint* and the product file name with the cpio command.

1. **mount -r -f HS,lower /dev/cd0/cdrom**
2. **Cd** to the **IDL4** directory (For example, **/usr/lib/basic/IDL4**)
3. **UMASK 0**
4. **cpio -icvBmud</cdrom/unix/VIP_GWW** (Some operating systems require that **vip_gww** be entered in lower case.)
(For Linux use **-ivBmud** above.)
5. Start Thoroughbred Basic
6. Run the Thoroughbred Basic "**INSTALL**" program

In step 1, **cd0** is the name of the CD device. In steps 1 and 4, **cdrom** is the *mountpoint* name.

Windows Host Installation

The Host is installed as part of the Development Environment. To determine if the VIP Host has already been installed, from the OPENworkshop or the Dictionary-IV System Administration menu select Version Manager. If installed VIP Host will be listed under the Application Code "VI." If the VIP Host has not been installed, please refer to the Development Environment Installation Guide for details.

Client Installation

If you purchased TS Network Basic with Dataserver, insert the CD and browse the CD. Locate and review the VIP for Dictionary-IV installation manual before continuing. If you are installing VIP for Dictionary-IV on Windows XP, Windows Server 2000, or Windows Server 2003 select the setup.exe in the VIP4WKS\XP_2K folder. If you are installing on Windows Vista, Windows Server 2008, or Windows 7, select the setup.exe in the VIP4WKS\Vista folder.

If you purchased TS Environment for Windows or a UNIX Basic, insert the VIP4 Client CD and browse the CD. Locate and review the VIP for Dictionary-IV installation manual before continuing. If you are installing VIP for Dictionary-IV on Windows XP, Windows Server 2000, or Windows Server 2003 select the setup.exe in the VIP4WKS\XP_2K folder. If you are installing on Windows Vista, Windows Server 2008, or Windows 7, select the setup.exe in the VIP4WKS\Vista folder.

If necessary, update your PATH variable. See the *VIP Installation Guide* for details.